

INFERNO 310 DF






USER MANUAL


www.azzzatek.com

- 1. Specifications
- 2. Chassis Parts
- 3. Control Panel Functions
- 4. 3.5"/2.5" HDD Installation
- 5. Cooling System Installation
- 6. AZZA Digital RGB Fan Installation For Motherboard / Digital RF Remote


Model			
Model Name	Inferno		
Model Number	CSAZ-310DF		
Specifications			
Type:	ATX Mid-Tower		
Color:	Black (exterior)/Black (interior)		
Side Panel Window:	Tempered Glass with Rubber Mounts		
Max CPU Cooler Height	Up to 155mm		
With Power Supply:	No		
Motherboard Compatibility:	ATX, Micro ATX		
Expansion			
External 5.25" Drive Bays:	1		
Internal 2.5" Drive Bays:	Up to 6 (2 with metal tray)		
Internal 3.5" Drive Bays:	Up to 2		
Expansion slots:	7		
Front Ports	2xUSB 3.0, HD Audio		
Cooling System			
Fans Installed	Front 1x120mm AZZA Digital RGB fan, Rear 1x120mm AZZA Digital RGB fan		
Physical Specs			
Dimensions(HxWxD)	480X205X475mm / 18.9X8.1X18.7 inches		
Weight	6.7 kg / 14.8 lb		
Features			
Digital RGB Light Effects	Digital RGB Light on Front, 2x120mm Digital RGB fans All Digital RGB light devices controlled by Digital RGB RF Remote		
Max video Card Length	Supports up to 380mm long video cards		
Tempered Glass Side Window	High-quality tempered glass with rubber mounted side window allows for clear visuals to inner components.		
Available Fan Ports	3x120mm or 2x140mm ports on the Top 2x120mm or 2x140mm ports in the front (1x120mm Digital RGB Fan included) 1x120mm Fan port in the rear (1x120mm Digital RGB Fan included)		
Water Cooling	Supports radiators up to 360mm on top/280mm in front		
Isolated Chamber	Power supply is housed inside its own isolated chamber, preventing its heat from affecting other components.		
Easy installation Cooler	A pre-cut hole for easy installation of CPU cooler, eliminating the need to remove the motherboard		




1	Dust filter	
2	Right side panel	
3	Door	
4	SSD brackets	
5	HDD/SSD tray	
6	Front bezel	
7	Digital RGB fans x2	
8	Hand screw	
9	Left side panel	
10	ODD bay	



	Power	Ŷ	Mic
Ą	USB3.0(Blue)		Audio
	USB3.0(Blue)	HDMI	(Optional)



•Supports up to 380mm long video cards.







or




- Two mounting holes support 2.5" devices.(♠ ⊕)
- ■Two multifunctional trays support 3.5" HDD or 2.5" SSD.

 $(\mathbf{G}\mathbf{G})$








Multifunctional bracket.

Secure 2.5" SSD / HDD with screws. Secure 3.5" HDD with screws.



The first Digital RGB fan is to be connected to the Digital RGB LED RF remote in the chassis, while the rest of them can be daisy chained to the first one with their own male and female plugs.

